

(30) Priority data: 07/868,112

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: WO 93/20768 (11) International Publication Number: A61B 17/36, A61N 5/02 28 October 1993 (28.10.93) (43) International Publication Date: (74) Agents: HOHENFELDT, Ralph, G. et al.; 633 West Wisconsin Avenue, Milwaukee, WI 53203 (US). PCT/US93/03441 (21) International Application Number: (22) International Filing Date: 12 April 1993 (12.04.93)

(71) Applicant: EP TECHNOLOGIES, INC. [US/US]; 350 Potrero Avenue, Sunnyvale, CA 94086 (US).

13 April 1992 (13.04.92)


(72) Inventors: EDWARDS, Stuart, D.; 1681 Austin Avenue, Los Altos, CA 94024 (US). JACKSON, Jerome; 880 East Fremont Avenue #322, Sunnyvale, CA 94087 (US). STERN, Roger, A.; 10418 Palo Vista Road, Cupertino, CA 95014 (US). MORSE, Thomas, M.; 2784 Monterey Road #28, San Jose, CA 95111 (US). OWENS, Patrick, (US).

(81) Designated States: CA, JP, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT,

Published

With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: STEERABLE MICROWAVE ANTENNA SYSTEMS FOR CARDIAC ABLATION



(57) Abstract

An antenna assembly (10) has an energy propagating region (16) that is encapsulated in a material having a high dielectric constant for minimizing the loss of dissipating conductive heat patterns about the energy propagating region (16).

'n

ż

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

			· · · · · · · · · · · · · · · · · · ·		
AT	Austria	FR	France	MR	Mauritania
ΑÜ	Australia	GA	'Gabon'	. MW	Malawi
BB	Barbados	GB.	United Kingdom	NL;	Netherlands
BE	Belgium	GN	Guinca	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	. PL	Poland
BJ	Benin	· IE	Ireland	PT	- Portugal
BR	Brazit	IT	Italy	RO-	Romania-
CA	Canada	JP	Japan	ั สบ	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	∙SD	Sudan
CG	Congo		of Korea	SE	Sweden
СН	Switzerland	KR '	Republic of Korea	SK	Slovak Republic
CI	C'ôte d'Ivoire	KZ	Kazakhstan	SN	Senegal
CM	Canteroon	1.1	Liechtenstein	SU ·	Soviet Union
cs	Czechoslovakia -	LK	Sri Lanka	TD	Chad
cz.	Czech Republic	1.0	Luxembourg	TG	Togo
DE	Germany	MC	Monaco	UA .	Ukraine
DK	Denmark	MC	Madagascar	US	United States of America.
ES	Spain	· ML	. Mali	VN .	Viet Nam
EI .	Cinland	MN	Moneolia		•

"Steerable Microwave Antenna Systems for Cardiac Ablation"

5

10

15

20

25

Field of the Invention

The invention generally relates to cardiac ablation catheters and systems. In a more specific sense, the invention relates to catheters that use microwave energy to ablate ventricular and atrial tachycardia foci for the treatment and control of cardiac arrhythmias.

Background of the Invention

Physicians make use of catheters today in medical procedures to gain access into interior regions of the body to ablate tissue areas. It is important for the physician to be able to accurately steer the catheter to the ablation site. Once at the site, it is important for the physician to control the emission of energy within the body used to ablate the

.5

10

15

20

25

30

35

tissue.

The need for accurate steering and precise control over the catheter is especially critical during procedures that ablate tissue within the heart. These procedures, called electrophysiology therapy, are becoming increasingly more widespread for treating cardiac rhythm disturbances, called arrhythmias.

During these procedures, a physician steers a catheter through a main vein or artery (which is typically the femoral artery) into the interior region of the heart that is to be treated. The physician then further manipulates a steering mechanism to place the electrode with the tissue that is to be ablated. The physician directs radio frequency (RF) energy from the electrode tip through the tissue to an indifferent electrode to ablate the tissue and form a lesion.

Some clinicians have suggested the use of microwave energy for cardiac ablation. For example, Langberg U.S. Patent 4,945,915 proposes the use of a helical microwave antenna fed by a coaxial line to thermally ablate cardiac tissue. The radiation heating patterns that microwave energy propagate can, in theory at least, form lesions that are deeper than the lesions formed by the conductive heating patterns generated by conventional RF energy.

The ability of microwave energy to form deeper lesions also raises challenges in antenna system design. To gain all the benefits of using microwave energy, the clinician must be able to control the type and the distribution of heating patterns propagated at the intended lesion site. If a microwave antenna system also propagates unintended conductive heating patterns, the temperature of the ablation site

10

20

25

30

35

can be quickly elevated above a critical isotherm (thought to be in the range of 53 to 55 degrees C) before the desired lesion depth is achieved. Irreversible tissue damage can result. The same unintended conductive heating patterns can also quickly heat the blood pool around the ablation site, causing undesired coagulation.

Ablation systems and processes using microwave energy will not find widespread clinical use, if they cannot be made and controlled to minimize the propagation of conductive heating patterns. They will also fail to find widespread use, if the microwave enterms connect be conveniently simple and precisional to the desired ablation site within the heart.

15 <u>Summary of the Invention</u>

The inventions provide improved cardiac ablation systems and methods using microwave energy. The improved systems and methods offer a microwave antenna assembly for cardiac ablation catheters that minimizes the propagation of conductive heat patterns.

According to one aspect of the invention, the energy propagation region of the antenna assembly is encapsulated by a material having a high dielectric constant for minimizing the loss of energy propagated by the distal region, while also having a high thermal conductivity for dissipating conductive heat patterns about the distal region.

According to another aspect of the invention, the antenna assembly is associated with a steering mechanism for maneuvering the assembly within the body. In a preferred embodiment, the antenna assembly comprises a coaxial cable having a proximal region for connection to a source of energy and a distal region for propagating the energy. The coaxial cable also has an intermediate region between the distal and

10

15

20

25

30

35

proximal regions that has a greater degree of flexibility than the proximal region.

The steering mechanism is connected directly to the intermediate region of the coaxial cable. The mechanism extends from there to an actuator located at the proximal region of the coaxial cable. The actuator is operative by the user to bend the intermediate region and, with it, the distal energy propagation region of the coaxial cable.

Brief Description of the Drawings

Fig. 1 is a perspective view of a catheter having a steerable coaxial antenna assembly that embodies the first the first the first that the first the first the first that the first that the first the first that the f

Fig. 2 is a top section view, taken along line 2-2 in Fig. 1, of the interior of the handle associated with the catheter;

Fig. 3 is an exploded enlarged perspective view of the steering mechanism associated with the catheter;

Fig. 4 is a view of the three functional regions of the coaxial cable associated with the catheter;

Figs. 5 to 13 show the steps involved in making the catheter shown in Fig. 1;

Fig. 14 is an alternative embodiment of a steerable coaxial antenna assembly that embodies the features of the invention;

Fig. 15 is a coaxial antenna assembly that includes a mechanism for absorbing heat along the coaxial cable that embodies the features of the invention; and

Fig. 16 is an enlarged view of the heat absorbing mechanism shown in Fig. 15.

Description of the Preferred Embodiments

Fig. 1 shows a steerable microwave ablation

10

15

20

25

30

35

catheter 10 that embodies the features of the invention. The catheter 10 includes four main parts: a handle 12, a guide tube 14, and a steerable coaxial antenna assembly 16. In use, the catheter 10 provides
electrophysiology therapy in the interior regions of
the heart.

When used for this purpose, a physician grips the handle 12 and maneuvers the guide tube 14 through a main vein or artery (which is typically the femoral arterial) into the interior region of the heart that is to be treated. The physician then further steers the coaxial antenna assembly 16 to place it in contact with the tissue that in its law antenna assembly 16 to ablate the tissue contacted.

As Fig. 2 shows, the handle 12 encloses a rotating cam wheel 22, which forms a portion of the steering mechanism for the antenna assembly 16. An associated external steering lever 20 (see Fig. 1) rotates the cam wheel 22 to the left and to the right.

The cam wheel 22 carries a wire fastener 18. The wire fastener 18 holds the proximal ends of right and left catheter steering wires 24 and 26, which are soldered or glued to the interior of the fastener 18.

As Fig. 2 shows, the steering wires 24 and 26 extend from the opposite ends of the fastener 18 and along the associated left and right side surfaces of the cam wheel 22. The steering wires 24 and 26 extend through interior bore of a tension screw 28 and into the proximal end 30 of the guide tube 14.

The guide tube 14 is a flexible shaft attached to the handle 12. While it can be variously constructed, in the illustrated embodiment, the guide tube 14 is a length of stainless steel coiled into a flexible spring enclosing an interior bore. A braided

WO 93/20768 PCT/US93/03441

- 6 -

sheath 32 of plastic material encloses the guide tube 14. The steering wires 24 and 26 pass through the interior bore, which leads to the antenna assembly 16.

As Fig. 3 shows, the steering mechanism for the antenna assembly 16 also includes a bendable main support wire 34. In the illustrated embodiment, the main support wire 34 is made of stainless steel flat wire stock in an elongated shape about .035 inch wide and about .005 inch thick. The main support wire 34 is about 3 inches in total length.

5

10

15

20

25

30

35

Preferably, two leaf springs 36 sandwich the main support wire 34, stiffening it. Each leaf spring 36 is made of minimum start wire wire and about elongated shape that is about .039 inch wide and about .0029 inch thick.

The opposite ends of the main support wire 34 are cut away to form stepped shoulders 38 and 40. In the illustrated embodiment, the shoulders 38 and 40 are about .024 inch wide and aligned along the centerline of the main support wire 34. Each shoulder 38 and 40 is about .12 inch in length.

As Fig. 3 shows, one stepped shoulder 38 is attached to the distal end 42 of the guide tube 14. A sleeve assembly 44 encloses and reinforces the junction of the guide tube end 42 and the main support wire 34. The sleeve assembly 44 terminates well short of the stepped shoulder 40, leaving it exposed for attachment of the distal ends of the right and left steering wires 24 and 26. As Fig. 3 diagrammatically shows, the left and right steering wires 24 and 26 are ultimately attached, respectively, to the right and left sides of the stepped shoulder 40.

The antenna assembly 16 includes an antenna 46 (see Fig. 13) and an associated coaxial cable 48. The proximal end of the cable 48 extends from within

10

15

20

25

30

35

the handle 12 (as Fig. 2 shows), along the outside of the guide tube 14 within the sheath 32. A plug 50 joined to the proximal end of the cable 48 extends outside the handle 12. The plug 50 connects the cable 48 to a source of energy. The cable 46 conducts this energy to the antenna 46 for propagation at the lesion site.

According to one aspect of the invention, the coaxial cable 48 includes three, functionally different regions 52, 54, and 56.

The first region 52 constitutes the majority of the coaxial cable 48. It is enclosed within an outer immutation where her are more than the cuttill of the guide tube 14, as previously described. In a preferred embodiment, the sheath 58 has an outer diameter of about .06 inch.

The second region 54 begins near the junction of the main support wire 34 with the guide tube 14. In the second region 54, the outer sheath 58 is absent, leaving a metallic mesh shield 60 that surrounds the core cable wire 62. In an preferred embodiment, the mesh shield 60 has an outer diameter of about .054 inch. With the removal of the relatively bulky outer sheath 58, the second region 54 is significantly more flexible than the first region 52. In a preferred embodiment, the second region 54 extends for about 3 inches.

The steering mechanism for the antenna assembly 16 is ultimately attached to the flexible second region 54 of the coaxial cable 48.

The third region 56 occupies the distal end of the cable 48. Here, there is no surrounding sheath or shield, leaving the core conductor 62 of the cable 48 exposed. In a preferred embodiment, the core conductor 62 is silver coated copper having an outer di-

10

15

20

25

30

35

selected.

ameter of about .018 inch and a length of about .75 inch. The third region 56 ultimately functions as or as part of the antenna 46.

Figs. 5 to 13 show the steps in a preferred method of assembling the steerable coaxial antenna assembly 16 just generally described.

In the first step (Figs. 5A and 5B), the practitioner shapes the antenna 46. In the illustrated embodiment, the antenna 46 is helical is shape, but other shapes can be selected.

In this arrangement, the practitioner uses a wire coiling mandrel 64 to form the helical shape. The mandral 65 implicitly a librariant sum as threaded end 66 has the radius and pitch required to create an antenna that will propagate the desired radiation heating patterns at the operating frequency

In the illustrated embodiment, the threaded mandrel end 66 forms a helical configuration having an internal diameter of about 0.56 inch; an outer diameter of about .104 inch; and a pitch of about 24 turns to the inch.

The practitioner passes a length of antenna wire 68 through an opening 70 to secure it to the mandrel 64. Various types of antenna wire can be used. In the illustrated embodiment, 5% silver coated copper wire having an outer diameter of about .023 inch is used. The practitioner winds the wire 68 tightly about the threaded mandrel end 66, forming it into the helix shape.

Once formed, the practitioner unscrews the helix antenna 46 from the mandrel. The practitioner cuts the antenna 46 to the desired length. In the illustrated embodiment, the desired length is 10 turns. The operating frequencies of the antenna so

10

15

20

25

30

35

made is either about 915 MHz or 2450 Mhz.

When so formed, the antenna 46 has a forward end 72 and a rearward end 74. Before proceeding further, the practitioner preferably uses a deburring tool to remove the silver on the rearward antenna end 74. This deburring exposes the inner copper core of the antenna 46.

In the next step (see Figs. 6A, 6B, and 6C), the practitioner forms the three regions 52, 54, and 56 in the cable 48. The practitioner first strips away 1.1 inch of the outer shield 58 from the end of the cable 48. This exposes the metallic mesh shield 60 (as Fig. 61 shows).

This exposed shield 60 is next tinned with solder (as Fig. 6B shows). Various solder coatings can be used. In the illustrated embodiment, a 95% tin/5% silver solder mix is used. The practitioner preferably cuts off about .002 inch of the tin coated shield 60 to expose the copper core of the cable 48 before proceeding to the next step.

The practitioner then removes about .75 inch of the tin coated shield 60 to expose the core conductor 62 (as Fig. 6C shows). This exposed area becomes the third region 56 of the cable 48.

The practitioner than removes an additional amount of the sheath 58 beyond the already tinned shield 60 to expose a total of about 3 inches of the metallic mesh shield 60, of which about 0.175 inch remains tin coated. This forms the second region 54 of the cable 48. The remaining portion of the cable 48 (still enclosed within the sheath 58) becomes the first region 52 of the cable 48.

As Fig. 6C also shows, the practitioner preferably applies an electroplastic conforming coating 76 to the second cable region 54 that is not tin

10

15

20

25

30

35

coated. The c nforming coating 76 imparts greater strength to the flexible second region 54. It compensates for the absence of the sheath 58, but does not reduce the degree of flexibility required.

Various conforming coatings 76 can be used. The illustrated embodiment uses an electroplastic silicone coating sold by Chemtronics under the tradename Konoform.

In the next step (shown in Figs. 7A and 7B), the practitioner solders the steering mechanism to the solder coated distal end of the flexible, second cable region 54. First, the practitioner solders the steering with 24 and 25 in the right and late signs as an support wire shoulder 40.

As Fig. 7A shows, the practitioner preferably wraps and solders small gauge tin signal wire 78 around the junction of the steering wires 24 and 26 to the stepped shoulder 40. The wire wrap 78 imparts greater strength to this critical area of the steering mechanism. The wire wrap 78 holds the steering wires intimately against the stepped shoulder 40 both during and after their connection to the tinned end of the flexible, second cable region 54 (as Fig. 7B shows).

Next (as Figs. 8A and 8B show), the practitioner preferably shrink fits a series of plastic rings 80 (for example, made of polyolefin material) about the main support wire 34, steering wires 24 and 26, and the underlying flexible second cable region 54. Fig. 8A shows the rings 80 before heat shrinking; Fig. 8B shows the rings 80 after heat shrinking.

The rings 80 hold the steering wires 24 and 26 and the main support wire 34 snugly against the flexible second cable region 54. In this step, the practitioner also preliminarily slides an outer protective distal sleeve 82 over the coaxial cable and

10

15

20

25

30

35

the now integrally attached steering mechanism.

In the next step (see Fig. 9), the practitioner affixes an end cap 84 about the stripped and solder coated second cable region 54, to which the steering mechanism is now integrally joined. The end cap 84 is attached using a suitable adhesive, like locktite. The third cable region 56 (i.e., the exposed core conductor 62) extends through the attached cap 84.

As Fig. 10 shows, the practitioner now slides the previously formed helical antenna 46 into position over the exposed core conductor 62.

tions a temporary centering tool 86 between the core conductor 62 and the antenna 46. The centering tool 86 aligns the helical antenna centrally about the core conductor 62. The practitioner now solders the forward antenna end 72 to the core conductor 62. The practitioner removes the temporary centering tool 86 after making the soldered connection.

After trimming away the excess wire at the soldered connection, it is preferably shaped to a blunt, tapered point, exposing the copper core (as Fig. 12 shows).

Next (as Fig. 12 shows), the practitioner surrounds the assembly of the core conductor 62 and helical antenna 46 with a mold tube 88. The mold tube 88 is made of a flexible plastic material (for example, Teflon). One end fits snugly about the end cap 84. A small air vent hole 94 is drilled in this end next to the cap 84. The other end extends from the cap 84 and tapers to an opening 90 having a reduced diameter.

The practitioner next injects a potting compound 92 into the fitted mold tube 88 through the ta-

10

15

20

25

30

35

pered opening 90. The potting compound 92 fills the tube 88, completely encompassing the assembly of the core conductor 62 and helical antenna 46. The practitioner stops the injection when the compound 92 begins to leak from the air vent hole 94.

According to another aspect of the invention, the potting compound 92 includes a material that has the combined characteristics of (i) a high dielectric constant; (ii) low microwave energy loss; and (iii) high thermal conductivity.

In the illustrated embodiment, a material like diamond or sapphire is used to impart these characteristics. To the illustrated embodiment, a material

pound 92 is made by adding one unit part of diamond dust (about 1 micron) to one unit part of a medical grade epoxy mix. The one unit part of the epoxy mix consists of 1/2 resin and 1/2 hardener.

The practitioner allows the injected potting compound 92 to air cure for about 5 minutes. Then, the practitioner places the potted assembly into an oven, where it cures for 30 minutes at 150 degrees F.

After curing, the practitioner removes the mold tube 88 (see Fig. 13). The end of the cured potted compound 92 is shaped to a blunt tip. The distal sleeve 82 is slid into place and attached to the cap 84 by an adhesive.

When so assembled, rotation of the cam wheel 22 in the handle 12 laterally pulls on the steering wires 24 and 26 attached to the flexible second region 54 of the cable 48. By rotating the cam wheel 22 to the left, the second cable region 54, and with it, the antenna 46 itself, bends to the left. Likewise, by rotating the cam wheel 22 to the right, the second cable region 54, and with it the antenna 46 too, bends to the right. The absence of the sheath 58 in the

WO 93/20768

5

10

15

20

25

30

35

second region 54 imparts flexibility to the coaxial cable 48, making it an integral part of the steering mechanism for the antenna 46.

Furthermore, the potting compound 92 that encapsulates the entire assembly of the core conductor 62 and antenna 46 provides at least three benefits. First, the compound 92 provides a high dielectric constant for the antenna 46. Second, by minimizing the loss of microwave energy by the antenna 46, the compound 92 maximizes the propagation of the desired radiation heating patterns about the antenna 46. Third, the compound 92 has high thermal conductivity that discipates any underivative most patterns about the antenna 46.

Fig. 14 shows a whip microwave antenna assembly 96 that has been encapsulated by the potting compound 92 that embodies the features of the invention. The method of making the assembly 96 shown in Fig. 14 generally follows the same progression of steps as previously described, except that in Fig. 14, the core conductor 62 itself serves as the antenna. Other microwave antenna structures can be similarly encapsulated within the potting compound and attached to a steering mechanism to achieve the benefits of the invention.

Figs. 15 and 16 show another aspect of the invention that serves to reduce the propagation of conductive heating patterns by the antenna 46 and the attached coaxial cable 48. According to this aspect of the invention, the catheter 10 carries an assembly 98 for cooling the coaxial cable 48 and antenna 46 during use.

The cooling assembly 98 includes flexible tubing 100 that extends alongside the first and second regions 52 and 54 of the coaxial cable 48. The proxi-

10

15

20

25

30

mal end 102 of the tubing 100 is located within the catheter handle 12. An external supply tube 104 extends from the handle 12 and connects this end 102 of the tubing 100 to an external source 105 of pressurized gas, like carbon dioxide. The distal end 106 of the tubing 100 terminates in the second cable region 54, where the potting compound 92 encasing the antenna 46 begins.

The tubing 100 includes one or more expansion orifices 108. In the illustrated embodiment, the orifices 108 are formed at spaced intervals along the length of the tubing 100 and at its distal end 106.

To mad. the nessentises gen sampled by the

tubing 100 exits the orifices 108 and expands. The expanding gas absorbs conductive heat propagated by the antenna 46 and the coaxial cable 48. The gas travels back along the guide tube 14 and vents out through openings 110 in the catheter handle 12.

The inventions provide a steerable ablation catheter that delivers energy to the ablation site using an coaxial cable. The steering mechanism the inventions provide make possible the fabrication of highly steerable microwave antenna systems for cardiac ablation purposes.

The inventions also provide a microwave antenna assembly for an ablation catheter that maximizes the propagation of radiation heating patterns for deep lesion formation while minimizing the propagation of conductive heating patterns that cause tissue damage and blood coagulation.

Various features and benefits of the inventions are set forth in the following claims.

5

10

15

Claims

 A microwave antenna assembly for cardiac ablation comprising

a microwave antenna, and

means encapsulating the microwave antenna including a material having a high dielectric constant for minimizing the loss of microwave energy by the antenna while having a high thermal conductivity for dissipating conductive heat patterns about the antenna.

- 2. An assembly according to claim 1 wherein the material includes diamond.
- wherein the material includes sapphire.
- 4. An assembly according to claim 1 wherein the material includes an epoxy and diamond mixture.
- 5. An assembly according to claim 4 wherein the mixture includes equal parts of epoxy and diamond.
- 6. An assembly according to claim 1 wherein the material includes an epoxy and sapphire mixture.
- 7. A steerable microwave antenna assembly for a catheter comprising
 - a microwave antenna,

means for steering the antenna, and

means encapsulating the microwave antenna including a material having a high dielectric constant for minimizing the loss of microwave energy by the antenna while having a high thermal conductivity for dissipating conductive heat patterns about the antenna.

8. An assembly according to claim 7 wherein the material includes diamond.

10

15

20

- 9. An assembly according to claim 7 wherein the material includes sapphire.
- . 10. A steerable microwave antenna assembly for a catheter comprising
 - a microwave antenna,


a coaxial cable having a proximal region for connection to a source of energy and a distal region connected to the microwave antenna for propagating energy, the coaxial cable having an intermediate region between the distal and proximal regions that has a greater degree of flexibility than the proximal region,

intermediate region of the coaxial cable and extending from there to a mechanism located at the proximal region of the coaxial cable, the mechanism being operative by the user to bend the intermediate region and, with it, the microwave antenna relative to the proximal region of the cable, and

alariim means canasarea aieaaeig 🛫 🛬

means encapsulating the microwave antenna including a material having a high dielectric constant for minimizing the loss of microwave energy by the antenna while having a high thermal conductivity for dissipating conductive heat patterns about the antenna.

An assembly according to claim 10
 wherein the material includes diamond.
 An assembly according to claim 10
 wherein the material includes sapphire.



¢.




FIG. 4






FIG. 5

STEP 1: FORM HELIX ANTENNA







à

4/8

FIG. 6
STEP 2: PREP COAX












FIG. 7


STEP 3: ADD STEERING WIRE ASSEMBLY















F16. 16

Ĵ

A. CLA	SSIFICATION OF SUBJECT MATTER									
, ,	:A61B 17/36; A61N 5/02									
	US CL :128/786,804 According to International Patent Classification (IPC) or to both national classification and IPC									
		ianonai ciassification a	IM IFC							
B. FIELDS SEARCHED										
Minimum documentation searched (classification system followed by classification symbols)										
U.S. : 128/786,804 128/783,784,785,804,736; 606/32,33,41,7										
Documentat	tion searched other than minimum documentation to the	extent that such docum	ents are included	in the fields searched						
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)										
APS Search: 17 November 1992 Terms: Dielectric, Diamond, Catheter, Epoxy, Sapphire, Microwave, Antenna										
i erms: L	Dielectric, Diamond, Cameter, Epoxy, Sappinre, Micr	owave, Amenia								
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT									
Category*	Citation of document, with indication, where ap	propriate, of the releva	int passages	Relevant to claim No.						
x	US.A. 4.612.940 (Kasavich at al.)	22 Contambra	1006 2	4						
	aocument.	er werennen.		2-12						
1	acousiness.									
Y,P	US,A, 5,113,864 (Hagmann et al.) lines 35-40.	19 May 1992 sea	e column 7,	2,4,5,8,11						
Y,P	US,A, 5,131,409 (Lobarev et al.) 2 lines 12-16.	1 July 1992 See	e column 5,	3,6,9,12						
Y	US,A, 4,865,047 (Chou et al.) 12 s document.	September 1989	See Fig. 1,	4,5,6						
}			* *							
	770 4 404 500 (77-21-21-4)) 00 T	1005 0	7.10						
Y	US,A, 4,494,539 (Zenitani et al. document.) 22 January	1983 See	7-12						
X Furt	her documents are listed in the continuation of Box C	. See patent	family annex.							
	pecial categories of cited documents:	"T" later document	nublished after the int	ernational filing date or priority						
.V. qo	ocurrent defining the general state of the art which is not considered	date and not in		ation but cited to understand the						
	be part of particular relevance	"X" document of p	urticular relevance; di	e claimed invention cannot be						
	document which may throw doubts on priority claim(s) or which is considered novel or cannot be considered to involve an inventive step when the document is taken alone									
cit	cited to establish the publication date of another citation or other special reason (as specified) Y document of particular relevance; the claimed invention cannot be									
	ocument referring to an oral disclosure, use, exhibition or other	combined with	involve an inventive one or more other suc o a person skilled in t	s step when the document is h documents, such combination he art						
P document published prior to the international filing date but later than *&* document member of the same patent family the priority date claimed										
Date of the	Date of the actual completion of the international search Date of mailing of the international search report									
25 MAY 1993 AUG 2.0 1993										
Name and mailing address of the ISA/US Authorized of See Commissions of States and Todayards										
Commissioner of Patents and Trademarks Box PCT White to D.C. 20023										
Washington, D.C. 20231 Facsimile N., NOT APPLICABLE Telephone No., (703) 308-4305										

Form PCT/ISA/210 (second sheet)(July 1992)*



International application No. PCT/US93/03441

ategory*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	
.	US,A, 4,643,186 (Roen et al.) 17 February 1987 Whole document.	1-12	
•			
		·	
		-	
٠.			
		:	
i			
		·	
	1		
		•	
		·	

Form PCT/ISA/210 (continuation f second sheet)(July 1992)*